

LTC 9230/00 Roof Parapet Mount

www.boschsecurity.com



BOSCH

Invented for life



- ▶ Accepts all Bosch AutoDome Systems
- ▶ Roof-mount available
- ▶ Swivels to allow easy positioning
- ▶ Sturdy construction
- ▶ Attractive appearance

The Bosch LTC 9230/00 Parapet Mount has been designed for Bosch AutoDome® installations up to a rated load of 29 kg (64 lb). It is made of lightweight aluminum and features welded construction providing an extremely rigid dome mount.

The mount can be fitted on the inside or outside of parapets and can be swiveled to allow for easy positioning and servicing access to the AutoDome. Also available is the LTC 9230/01 Roof-mount which enables the parapet to be mounted on a flat surface.

Installation/Configuration Notes




Figure 1: Dimensional Outline - LTC 9230/00 Parapet Mount

(Shown with included wall mount bracket.)

- 1 End cap
- .
- 2 10-24 x 5/16 pan head screw stainless steel (one included)
- .
- 3 Pipe arm
- .
- 4 Mounting bracket
- .
- 5 3/8-18 x 3/4 hex head bolt, stainless steel (three included)
- .
- 6 Mounting surface
- .




Figure 2: Optional LTC 9230/01 Roof Mount

- 1 Square
- .
- 2 Hole pattern to match that of wall mount LTC 9230/00
- .

Technical Specifications

Mechanical

Maximum Load	29 kg (64 lb)
Load center of gravity located in line with load attachment point	
Load attachment point uses 1-1/2 NPT (Pipe thread)	
Mounting Hardware	Not furnished
Finish	White
Construction	Aluminum
Dimensions	See dimensional outline
Weight	7.7 kg (17 lb)

Note: Do not mount the LTC 9230/00 in an inverted position.

Accessories

LTC 9230/01 Roof-mount

For mounting unit in an upright position on a flat surface

AutoDome® is registered by Bosch Security Systems, Inc. in the US Patent Trademark Office

Ordering Information

LTC 9230/00 Roof Parapet Mount

For EnviroDome and outdoor fixed dome housings, 106.68 cm (42 in.) arm, 3.81 cm (1.5 in.) NPT
Order number **LTC 9230/00**

Represented by:

Americas:

Bosch Security Systems, Inc.
130 Perinton Parkway
Fairport, New York, 14450, USA
Phone: +1 800 289 0096
Fax: +1 585 223 9180
security.sales@us.bosch.com
www.boschsecurity.us

Europe, Middle East, Africa:

Bosch Security Systems B.V.
P.O. Box 80002
5617 BA Eindhoven, The Netherlands
Phone: + 31 40 2577 284
Fax: +31 40 2577 330
emea.securitysystems@bosch.com
www.boschsecurity.com

Asia-Pacific:

Robert Bosch (SEA) Pte Ltd, Security
Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6571 2808
Fax: +65 6571 2699
apr.securitysystems@bosch.com
www.boschsecurity.asia

China:

Bosch (Shanghai) Security Systems Ltd.
201 Building, No. 333 Fuquan Road
North IBP
Changning District, Shanghai
200335 China
Phone +86 21 22181111
Fax: +86 21 22182398
www.boschsecurity.com.cn

America Latina:

Robert Bosch Ltda Security Systems Division
Via Anhanguera, Km 98
CEP 13065-900
Campinas, Sao Paulo, Brazil
Phone: +55 19 2103 2860
Fax: +55 19 2103 2862
al.securitysystems@bosch.com
www.boschsecurity.com