

## **Brief Introduction**

The SL01-A730N is a compact door lock with lever handle and single latch.

SL01-A730H can connect to Wi-Fi for remote unlocking, password sharing, record tracking, and managing lock users and visitors through a smartphone. In addition, this smart lock offers multiple ways of unlocking including fingerprint, IC card, NFC and pass code.

The SL01-A730N offers a smarter, safer, and more convenient lifestyle. It is an ideal choice for luxury homes and apartments.

## **Features**



### Remote Unlocking With Mobile App

Unlock and manage the lock from anywhere



#### **Audio Instructions**

User-friendly audio prompts, support English and Chinese



### Capacitive Fingerprint Sensor

Fast verification for dry and rough fingers



#### **Temporary Access**

Share digital keys valid for specific time to friends or guests



#### **NFC**

Bind the IC card to your mobile wallet, and unlock your door with your smartphone or your IC card. No worries about misplacing your IC card



#### Wi-Fi Communication

Ensure a fast and stable by Wi-Fi IEEE 802.11b/g/n (2.4GHz Wi-Fi)



#### Random Passcode

Add random digits to protect your passcode from prying eyes



### **Emergency Charging Port**

Charging via the micro-USB port



#### Smart Alerts

Receive real-time notifications of low battery, hijack and offline



#### Lock Out Mode

All normal users (other than admin) will be locked out


## **Mobile Application**















## **Applicable Scenarios**








Private Houses Apartments

Short-term Rental

## **Specifications**

Housing Material	Aluminum Alloy
Mortise	Single Latch
Unlocking Methods	Smartphone, Fingerprint, Passcode, IC Card, NFC
Wireless Communication	Wi-Fi (IEEE 802.11b/g/n) @ 2.4 GHz BLE 5.0 (only for network configuration)
User Capacity	300
Fingerprint Capacity	100 (administrator: 10, normal user: 90)
Passcode Capacity	100 (administrator: 10, normal user: 90)
IC Card	100 (only normal user: 100)
Fingerprint Sensor	Capacitive
Power Supply	4 × AA Alkaline Batteries (not included)
Battery Life	<ul> <li>approximately 10 months</li> <li>* Battery life is estimated based on an average of 10 accesses per day while maintaining the Wi-Fi connection</li> </ul>
Emergency Power	USB Type-C Interface, DC 5V
Door Thickness	35 to 60 mm (standard)
Product Dimensions (H×W×T)	186×60×21.5mm
Operating Temperature	-25°C to 55°C (-4°F to 131°F)
Operating Humidity	10% to 90% RH (Non-Condensing)
Certification(s)	CE
Color Option(s)	Black
Supported App	NGTecoHome

# **Dimension(mm)**





NGTECO CO., LIMITED

V1.0 12/10/2024