



1. OVERVIEW

FEATURE

SPECIFICATION

Dimensions	141.8 × 127.6 × 30mm (5.6 × 5 × 1.2")
Form factor	Compact desk
UniFi Application Suite	Grid
Managed UniFi Devices	30+
Simultaneous users connected	300+

2. CONNECTIVITY AND PORTS

Max. WAN port count	4
Default WAN ports	(1) 2.5 GbE RJ45
Port design	
LAN/WAN	(4) 1GbE RJ45 (1G/100M/10M)
	(1) 2.5GbE RJ45 (2.5G/1G/100M/10M)
IDS/IPS Performance	1 Gbps

3. SECURITY

FEATURE

SPECIFICATION

Stateful Firewall	ÿ
Layer 7 firewall with awareness	ÿ

of applications	
DPI and traffic identification	ÿ
Advanced firewall filtering	ÿ
(zones, domains, applications)	
Content filtering	ÿ
Intrusion Prevention System (IPS/IDS)	ÿ
Ad blocking	ÿ
IDS/IPS Signatures	55,000+ (CyberSecure)
Traffic segmentation (VLAN / subnet)	ÿ

4. VPN and SD-WAN

Unlicensed SD-WAN	ÿ
Site-to-site VPN (Site Magic)	ÿ
IPsec	ÿ
OpenVPN	ÿ
WireGuard	ÿ
L2TP	ÿ
One-click VPN (Identity Endpoint)	ÿ
VPN Teleport (zero configuration)	ÿ
VPN Client (OpenVPN / WireGuard)	ÿ

5. NETWORK MANAGEMENT

Multi-WAN load balancing	ÿ
Dynamic routing (OSPF)	ÿ
Advanced QoS	ÿ

Multicast DNS (mDNS)	ÿ
Advanced NAT (SNAT / DNAT / Masquerade / Pool / 1:1)	ÿ
Integrated RADIUS server	ÿ
RADIUS over TLS (RadSec)	ÿ
Failover with UniFi LTE Backup	ÿ
Internet quality and outage reports	ÿ
MAC table size	2,000 tickets
Policy-based WAN and VPN routing	ÿ
Customizable DHCP Server	ÿ
IPv6 ISP Compatibility	ÿ
IGMP Proxy	ÿ

6. HARDWARE

Processor	ARM® Cortex-A53 Quad-Core at 1.5 GHz
System memory	3 GB
Internal storage	16 GB
Maximum energy consumption	6.2 W
Power supply	USB-C (5 V DC / 3 A) – Adapter included
Supported voltage range	100 – 240 V AC
Screen	State LCM 0.96"
Housing material	Polycarbonate
Weight	520 g (1.1 lb)
Physical button	(1) Factory reset
LED Indicators	Ethernet
Administration methods	Ethernet / Bluetooth
Operating temperature	-10 to 40 °C (14 – 104 °F)

Operating humidity	5 – 95% non-condensing
Compliant with NDAA	ÿ
CE, FCC, IC certifications	Anatel, SRRC

**7. SOFTWARE**

UniFi Network mobile app required

Minimum iOS™ version                      10.12.0 or higher

Minimum version Android™ 10.11.2 or higher