Products V

Assemble kit



More ~

# **Tech specs**

### BASELINE

# NVR (8-ch)

Network video recorder for 8 channels







# Videostream

# **NVR** models

8-channel

With up to 4K resolution (25/30 FPS).

### IP cameras

- ONVIF (Profile S/T)
- RTSP

Learn more

# **Storage**

hard drive with a capacity of up to 16 TB (SATA connectivity, 3.5" size)

HDD not included. The hard drive with power consumption of up to 7 W can be connected.

Learn more

# **Decoding formats**

H.265

H.264

# Bandwidth

up to 100 Mbps

# Recommendations

The device operating voltage is  $110-240 \text{ V}\sim$ .

NVR is designed for indoor installation only.

# **Communication channels**

# **Ethernet**

up to 100 Mbps

### Bluetooth

BLE frequency band: 2.400-2.4835 GHz

To set up an Ethernet connection.

# Radio signal power

2.5 mW (100 mW limit)

# **Key features**

# Motion detection

NVR has built-in software to detect the motion in the frame. Possible to switch between image analysis by NVR or camera algorithms.

# In-app video management system

- Videowall that combines images from all connected cameras.
- Event filters.
- Timeline with smooth preview.

# Visual verification of Ajax alarms

NVR allows setting up a scenario in which Ajax detectors trigger specific cameras to start recording. This results straight in mobile and desktop (monitoring) apps.

# Support for ONVIF authorization

Profile S

Profile T (partially)

Ajax cameras and NVRs can be integrated into third-party video management systems (VMS).

Learn more

# **Privacy**

Access rights distribution for users in mobile apps and for monitoring operators in PRO Desktop.

# **Power supply**

### Main

110-240 V~, 50/60 Hz, 0.6 A

Up to 24 W of mains power consumption.

# **Backup**

CR2032 battery, 3 V

Only to power the system clock.

# Sabotage protection

# Tamper alarm

Notifications about attempts to detach the device from the surface or remove it from the mounting panel.

Learn more

# **Enclosure**

# **Dimensions**

193 × 193 × 47 mm

# Weight

615 g

Without a hard drive.

# Operating temperature range

from 0 °C to +40 °C

# **Operating humidity**

up to 75%

# **Protection class**

**IP20** 

# 193 mm 193 mm

47 mm

# **Colors**

Black



White



# Complete set

NVR

SmartBracket mounting panel

Power cable

Ethernet cable

Installation kit

Quick start guide

# Certification and compliance with standards



NVR (8-ch)

( \_

# **Additional information**

Compliance with standards

**User manual** 

Learn more

Learn more

# Warranty

### 24 months

### Learn more

### Subscribe

Subscribe to our emails about secure life. No spam.



### Request extra help

- support@ajax.systems
- @AjaxSystemsSupport\_Bot
- Send a request



4,000,000

people worldwide under Ajax protection

Rating 4.8

### Suggest a feature









### **Products**

Intrusion protection

Video surveillance

Fire and life safety

### Software

For users

Ajax PRO: Tool for Engineers

Ajax Desktop

26/11/25, 3:03 p.m.

Comfort and automation

All products

Services

System integrations

Ajax Ready products

Fibra wired protocol

Ajax radio protocols

### Solutions

Customer stories

Solutions by facility type

Commercial fire detection and alarm system

Wireless Grade 3 solution

Upgrades and retrofits

How it works

### NVR (8-ch) | Technical specifications

Ajax PRO Desktop

Ajax Translator PRO

Ajax Cloud Signaling

Scenarios



Available on App Store



Available on Google Play

### Support

Manuals and articles

Compliance with standards

### Tools

Ajax device compatibility

Video storage calculator

Video device calculator

Battery life calculator

Radio communication range calculator

Switches and outlets configurator

Fibra power supply calculator

All web tools

# Monitoring solutions and integrations

Intrusion alarm monitoring

Video monitoring and visual alarm verification

Audio alarm verification

### Company

Blog

About us

Press page

Events

Career

Ajax Next

Students at CES 2026

### For partners

For partners

Ajax Academy

Partner Portal

Reviews and feedback

México Privacy policy Report a vulnerability GDPR White Paper NDAA Statement Cookie policy Anti-Spam Policy End user agreement Warranty

© 2025 AJAX SYSTEMS CH. All rights reserved