Products ∨   Assemble kit

Tech specs

Pass

Contactless card for security control

Devices compatibility

KeyPad Plus Jeweller ›

KeyPad TouchScreen Jeweller ›

Superior KeyPad TouchScreen Fibra ›

Superior KeyPad Plus Jeweller ›

Contactless authentication

Communication technology

DESFire®

Operating standard

ISO 14443-A (13.56 MHz)

Pass   More ⌄

~~Triple DES encryption and AES hardware encryption with 128-bit key.~~

Key features

Possibility to assign the user

Set the name and access permissions for each card in an Ajax app.

Ajax hubs

up to 13

One Pass card can be paired with 13 hubs.

Sabotage protection

Authentication

Protection from signal interception

Enclosure

Dimensions

86 × 54 × 0.8 mm

Weight

6 g

Operating temperature range

from −10 °C to +40 °C

Operating humidity

up to 75%

54 mm

86 mm

0.8 mm

Colors

Black

White

Complete set

3, 10, or 100 devices (depending on the kit)

Quick start guide

Additional information

Compliance with standards

Learn more ›

User manual

Learn more ›

Warranty

24 months

Learn more ›

Subscribe

Subscribe to our emails about secure life. No spam.

[Subscribe]

Request extra help

✉ support@ajax.systems

◈ @AjaxSystemsSupport_Bot

💬 Send a request

★ Trustpilot
★★★★★
Rating 4.8

4,000,000
people worldwide under Ajax protection

💡 Suggest a feature

f ▶ ⬚ 𝕏 in

Products

Intrusion protection

Video surveillance

Fire and life safety

Comfort and automation

All products

Services

Software

For users

Ajax PRO: Tool for Engineers

Ajax Desktop

Ajax PRO Desktop

Ajax Translator PRO

Ajax Cloud Signaling

System integrations

Ajax Ready products

Fibra wired protocol

Ajax radio protocols

Scenarios

Available on
App Store

Available on
Google Play

Solutions

Customer stories

Solutions by facility type

Commercial fire detection and alarm system

Wireless Grade 3 solution

Upgrades and retrofits

How it works

Support

Manuals and articles

Compliance with standards

Tools

Ajax device compatibility

Video storage calculator

Video device calculator

Battery life calculator

Radio communication range calculator

Switches and outlets configurator

Fibra power supply calculator

All web tools

Monitoring solutions and integrations

Intrusion alarm monitoring

Video monitoring and visual alarm verification

Audio alarm verification

Company

Blog

About us

Press page

Events

Career

Ajax Next

Students at CES 2026

Reviews and feedback

For partners

For partners

Ajax Academy

Partner Portal

México   Privacy policy   Report a vulnerability   GDPR White Paper   NDAA Statement   Cookie policy   Anti-Spam Policy

End user agreement   Warranty