

Tech specs

Brandplate

Customized faceplate for DoubleDeck siren branding



Compatibility

Sirens

StreetSiren DoubleDeck Jeweller >

Superior StreetSiren DoubleDeck Jeweller >

Superior StreetSiren DoubleDeck Fibra >

Key features

Mounting method

latches and a screw

Material

plastic

Printing information

Design may include logo, company name, and contact information: website or phone number.

Compose a faceplate design in the Brandplate constructor >

Enclosure

Dimensions

184 × 184 × 17 mm

Weight

111 g



Operating temperature range

from -25 °C to +60 °C

Operating humidity

up to 95%




17 mm

Colors

Black



White



Complete set

Brandplate faceplates (10 pcs per batch)

Quick start guide

Certification and compliance with standards

**Brandplate**

Additional information

Compliance with standards

Learn more >

Warranty

24 months

Learn more >

Subscribe

Subscribe to our emails about secure life. No spam.

Subscribe

Ajax PRO on YouTube

Watch product demos, field-tested tips, and expert insights from security professionals.

Subscribe

Request extra help

✉ support@ajax.systems

 @AjaxSystemsSupport_Bot

 Ask a question



Rating 4.8

4,500,000

people worldwide under Ajax protection

 Suggest a feature



Products

- Intrusion protection
- Video surveillance
- Fire and life safety
- Comfort and automation
- All products
- Services
- System integrations
- Ajax Ready products
- Fibra wired protocol
- Ajax radio protocols

Software

- Ajax Security System
- Ajax PRO: Tool for Engineers
- Ajax Desktop
- Ajax PRO Desktop
- Ajax Response
- Ajax TV
- Ajax Translator PRO
- Ajax Cloud Signaling
- Ajax Media Player
- Scenarios



Available on
App Store



Available on
Google Play

Solutions

- Customer stories
- Solutions by facility type
- Commercial fire detection and alarm system
- Wireless Grade 3 solution
- Wired Grade 3 solution
- Outdoor intrusion protection
- Video surveillance solution
- Integration with Yale smart locks
- Water damage prevention

Support

- Manuals and articles
- Compliance with standards

Tools

- Ajax device compatibility
- Ajax compatibility with monitoring software
- Ajax Services availability
- Video storage calculator

Upgrades and retrofits

How it works

Brandplate | Technical specifications

Video device calculator

Battery life calculator

Radio communication range calculator

Switch and outlet configurator

Fibra power supply calculator

All web tools

Monitoring solutions and integrations

Intrusion alarm monitoring

Video monitoring and visual alarm verification

Audio alarm verification

Company

Blog

About us

Press page

Events

Career

Ajax Next

Ajax PRO channel

Reviews and feedback

For partners

For partners

Ajax Academy

Partner Portal

Ajax PRO channel

 México Privacy policy Report a vulnerability GDPR White Paper NDAA Statement Cookie policy

Anti-Spam Policy Ajax Services T&C End user agreement Data Processing Agreement Warranty

© 2026 AJAX SYSTEMS CH. All rights reserved