

### intellinet-network.com



# 19" 2 Post Open Frame Rack

**45U, Flatpacked, Black** Part No.: 715997 EAN-13: 0766623715997 | UPC: 766623715997

# A sturdy 2 Post Rack that safely holds your network equipment

Designed for networking applications in I.T. environments, the 2-Post Open Frame Rack from Intellinet Network Solutions is an ideal solution for space-constrained or cost-conscious network administrators. This 2 Post Rack is made from high-quality steel, which is up to 3 mm thick at the base and 2 mm thick on the frame posts. Network equipment stays safe and secure.

#### Features:

- For 19 in. rackmount applications
- Modular design for fast installation
- High-quality, cold-rolled steel with thicknesses up to 3 mm on the base and 2 mm on the frame
- Numbered rackmount spaces
- Maximum static load of 200 kg (440 lbs.)
- Ships flatpacked
- Three-year warranty

#### **Specifications:**



### intellinet-network.com

General

- 19 in.
- Height: 45U
- Color: Black RAL9004
- Steel thickness: 3 mm (0.12 in.) base; 2 mm (0.08 in.) frame
- Static load maximum: 200 kg (440 lbs.)

Dimensions

• 390D x 550W x 2192H mm (15.35D x 21.65W x 86.3H in.)

Package Contents

- Flatpacked 19" 2 Post Open Frame Rack
- Assembly bolts, washers and nuts
- Assembly instructions





For more information on Intellinet products, consult your local dealer or visit www.intelllinet-network.com. All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.



## intellinet-network.com





For more information on Intellinet products, consult your local dealer or visit www.intelllinet-network.com. All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.